



HT025 is a **'button tag'** made of nylon, a material that is both thin and strong, while offering high resistance to impacts, chemicals and bacteria. Round, **ultra thin and ultra small** – 16.2 mm in diameter, 1.35 mm thick and weighing just 0.3 grams – this RFID tag is **designed for application on small, non-metal objects** using an adhesive backing.

HT025 is available **in black in HF with the ICODE SLIX** chip. A logo can be applied to the button tag using pad or laser printing, while numbering is applied using laser technology.

#### **MARKETS**

The **IP68** rating ensures the HT025 button tag is resistant to dust and

jets of water, so it is an excellent choice for **product and item tracking and identification**. In particular, it **can be concealed in small spaces or applied to small objects**.



frequency 13.56 MHz

## RFID features

Chip	Memory	ISO Standard	NFC Standard
ICODE SLIX	128 bytes - UID: 8 bytes	ISO 15693	Type 5 - tag compliant

## Technical specifications

Application	Non-metal surfaces
IP rating	68
Dimensions	ø 16.2 mm, h 1.35 mm
Material	Nylon
Weight	0.3 g
Application method	Adhesive
Operation and storage temperature	-25°C ~ +80°C

## Customisation

Colour	Black
Type of printing	Pad and laser printing
Type of numbering	Laser technology

